

CRONORISCHIO

Authors:

Doroty Bermudes *

Marilena Angeli **

Carlos MagnoScouto ***

Celso Fernandes Batello ****

Summary

The authors tried to demonstrate the correlation among the biophatografic history of 14 individuals, of both sexes, with the signs found in *Colarete*, [Autonomous Neuro-System Band in the pupilar border] through the *Cronorischio or Cronorichio Method*, where it seems to exist a significant relationship of approximately 90% between them.

Introduction

The *cronorischio/cronorichio* is a method of evaluation of the eyes, created by Danielle Lorito, that analyzes the time of the individual's risk, and it is printed in the *colarete* of the Irises, portraying this same individual's biophatografic history. Because of the theme's importance for a better understanding of the Human, the authors tried to establish the relationship between the iridological and the free history, to try to confirm the truthfulness of the method.

Presupposition

Iridology is the study of the iris that goes since its anatomy, physiology, histology, pharmacology, pathology until the possibility of knowing the individual's general and partial constitution, since both are represented in the iris. However, it obtains information regarding this same individual, having as objective the understanding of its constitution, the best designation becomes IRISDIAGNOSIS, knowledge through the iris at the mental, psychic and spiritual aspects. (Celso Batello, 1998)

Irisdiagnosis studies the human being and the animals as a whole, serving as " the search of the lost link", through the intersection of the several currents human knowledge. The bigger is the knowledge of the Universe, the bigger is the Irisdiagnosis' application.

Irisdiagnosis is the world, and no other method makes possible to understand the individual with so much wealth and subtleness as it, because the eye is, perhaps, the organic microsystem that best translates the human like it is. (Celso Batello, 1998).

IRISDIAGNOSIS is a science - art whose propaedeutical method allows, through the observation of the iris, to know in a determined moment, the individual's general and partial constitution, as well as the evolutionary stages, acute, sub acute, chronic and degenerative of the alterations that attack one or more organs, or the organism as a whole. All this is expressed and it is reflected in the iris, through a topography, where each organ is represented in one or more iridological maps, allowing a complete approach of human being.

Although it is impossible to establish a diagnosis, what presupposes to give names to the diseases, Irisdiagnosis works as a pré diagnosis, where the detection of the shock organs, allows its elaboration more easily, through complemental exams that come to confirm the clinical suspicions.

Cronorischio

The cronorichio, etimologically (cronos = time + richio risk) means times of risk, in other words, times of the life where the individual is prone to suffer the action of the noxas or aggressor agents, endogenous as well as external, just as , a " biorhythm " printed in the iris, more precisely in the topographical area corresponding to *Colarete* or Autonomous Nervous System's Border.

The unpublished method was created and developed by Danielle Lo Rito (1993), who observed that the facts that mark the life are registered in the iris in an indelible way, serving as information for better understanding the human, being therefore, valuable resource to the disposition of the iridologist.

The terminology *cronorichio* we understood as the condition (potential and current) of larger danger (scratch out or amount of risk), for the health, a segment of the quantitative anomalies' verification and/or temporary in the economy of the biological functions (Lo Rito, 1993).

Therefore, with this term we want to indicate a period of a person's life where it is possible that a physical or psychic fact determines an alteration of the biological function in such point of foreseeing the appearance of a disease. With such disfunction we didn't intend to introduce the concept of the possibility of determining it through an analysis of the iris, although. The experience here obtained allows us to affirm that the iris carries a sign of physical and psychic *cronorischio* (risk times). Therefore there is possibility of the "quantum of risks" to associate and to put upon at the "risks' time". (Danielle Lo Rito, 1993).

There is an Endogenous and an Exogenous *Cronorichio*, the first seems deeply to call to the corresponding biological order:

- the zones of constitutional weakness;
- the alterations of the immunity's axis;
- the unbalances of the axis of the stress;
- to the organ or the most interested functions of a pathological axis;
- the structure of the mental field;
- the fundamental connections of the human brain that are constituted before the birth and they are ready to the successive sinaptical changes, subject to the learning processes.


The adaptative capacity of the living being is born by the endogenous cycles with the environmental factors.

Exogenous *Cronorischio* is the dependence of the social events or environmental factors, which are:

- the affective loss
- traumatic facts in accidents
- natural catastrophes


The external and psychophysical fact determines the energy unleashing of the "quantum" of endogenous risks.

The blood takes the rhythm of the Time, the spine takes the one of the Space. Every time that a trauma appears in the zone of the time, it will provoke an alteration more at the level of the pupil's border (*Colarete*), and instead of that, if it appears in the zone of the Space, it will cause a bigger alteration at Pupil's border.




In Cronorichio the heart and the articulation seem to result and to register the traumatic fact that can be alive at the level of the *colarete* (Lo Rito, 1993).

In the iris the hour of the birth is printed in the *colarete* as if it was 12:00 o'clock, that corresponds to the point zero. Starting from this point zero and traveling the circumference in counterclockwise sense to each section understood in the angle of 90°. they will correspond to 15 years. The semi-circumference to 30 years, and a total circumference will correspond to 60 years.



The direction of the calculation (counterclockwise) is valid for the right iris, as well as for the left iris. The accomplished experience assures what the anti-hourly direction confirms that, the correspondence between the degrees and years is more real, not excluding another calculation possibility and direccionalidad (Lo Rito, 1993).



For better finding the correct age, the division of the *colarete* should be proceeded in 360 and have an equal division year to year up to 60 years. If a person overcomes the 60 years, a new cycle begins which overlaps at $\frac{1}{4}$ of the circle up to 75 years and to the second circle up to 90 years. In calculating the age where the trauma is verified, we should wonder if the individual's birth happened before or after the nine months. (Lo Rito, 1993)

Supposing that, based on the Method of Dr. Lorito, it is possible to identify events happened during a patient's life, the present work intends to identify significant facts, related to certain moments of life and, that can be confirmed, confronting with the patient's biophatographic history. Once correlated the informations at the psychiatric lauda, at the patients's drawings and history free, this study makes possible, at the posteriori, to confront all these data with the psychiatric lauda, because it seems to exist a connection between such signs and the beginning of the psychic symptoms.

Justification

Considering that, the cronorichio method determines the time when significant facts in the individual's life happened, for the presentation of signs in the band of autonomous nervous system (*colarete*), it seems to work as a true human biorhythm; considering that it is possible to connect these facts with the individual's sintomatology; that it can have alterations in the neuropsychioimmunoendocrine axis, with detailed registrations on the *colarete*; considering that these registrations can be elucidating regarding traumatic conditions, taken in consideration the choice of certain medicines, it becomes fully justifiable the accomplishment of this work.

Objective

To establish relationships among the Cronorischio method and the Biophatographic History, through the study of the iris and the free history told by the studied individuals, and to establish conducts that seek to collaborate, through this facilitative agent, to elucidate facts, feelings, emotions and to understand better the individual and to look for methods and effective therapeutic criteria.

Theoretical Analysis' factors

Most of the iridological signs found is correlated with the endocrine glands, especially the thyroid, as participant of the axis psychoimmunoneuroendocrine's dynamics, corroborated with the scientific literature about it.

Sampling

The total sampling embraces 14 patients, being 7 women and 7 men (50% men and 50% women), with data on average age of (age = 40 years for Men and 44 for Women), color, Biophatographic Story, education, religion, Iridological Analysis, evaluation for the Cronorischio's Method, and the free history from the Patient no. 4 was averaged. The samplings were divided in two control groups, as follow:

1) patients with psychiatric diagnosis

9 psychiatric patient were investigated, of both sexes, in the age group between 36 and 54 years, interned and in hospital-day regime, initiated in the second semester of 1999 and in the first semester of 2000, in psychiatric clinic.

Cases/Names	Ages	Diathesis	Cronorischio	Psychiatric awards	Biophatographic History	Draws awards
1. V.B.S.A S	42	2	evagination 37 years old	F.31.31- Affective Bi- Polar Disturbe	look sequence at	look sequence at
2. A M S F	55	3	47, 33 e 34	F.32.12- Depressive Moderated Episode without somatics symptoms	look sequence at	look sequence at
3 J A M F	37	2	3,4,8,15 e 22	F.39-Disturb affective not specific	look sequence at	look sequence at
4. R A M	34	1	13,17,37 e 38	F.32- Depressive Episode F.41-Other disturbs of anxyety F.44- dissociative compulsive's Distrubs	look sequence at	look sequence at ide sequência
5.N P C	40	4	7,10,12,15,16, 22,27,30 e 37	F.44.7- Dissociative Mixt Disturbs F.45.8- Others somato- fórmico disturbs	look sequence at	look sequence at
6. V R S	53	1	18 e 19	F.33- Depressive Disturb recividous	look sequence at	look sequence at
7. S A C	41	1	22,24,41,42, 43e 46	F.32- Depressive Episode	look sequence at	look sequence at
8. L A L S	47	3	26,27,35 e 36	F.32- Depressive Episode	look sequence at	look sequence at
9. M L	39	3	13,14,22,37, 45,46 e 47	F.31- Afetive Bi-polar Disturb	look sequence at	look sequence at

Cases	Other Cerebral areas	Endogenous Glandula	Thymus/ Spleen Lynphatics 'Organs	Aut.Nervous Sist. Orle or Colarete	Cronorischio Diathesis
1 V B S A S	n	Hypophysis	n	The border disappears next to 7.00 o'clock	Evagination at 37, invagination at 30 anos Diátese 2
2 A M S F	Vitality	Hypophysis Thyroid / Pancreas	n	Bulb	47, 33 e 34 Diathesis 3
3 J A M M F	Acquired Speaks Ego's Pressure 5 Senses	Hypophysis Thyroid / Pancreas Suprarenals	n	n	3, 4, 8, 15, 22 Diathesis 2
4 R A M	Equilibrium and Sensorial Locomotion	Pancreas, Supra-renais and Paratyroid	n	n	13, 17, 37 e 38 Diathesis 1
5 N P C	Ego's Pressure	Hypophysis Thyroid and Supra-renais	Spleen	n	7, 10, 12, 15, 16, 22, 27, 30 e 37 Diathesis 4
6 Vera	Ego	Thyroid, Paratyroide and Pancreas	n	n	18 e 19 Diathesis 1
7 S A C	Vitality	Hypophysis Thyroid, Paratyroid and Pancreas Womb/ Ovary Spleen Suprarenal	Spleen	n	22, 24, 41, 42, 43, 46 Diathesis 1
8 L A L S	n	Paratyroid Testicles Prostate	n	n	26, 27, 35 e 36 Diathesis 3
9 M L	n	Thyroid, Paratyroid and Pancreas	Suprarenal	n	13, 14, 22, 37, 45, 46 e 47 diathesis 3

Studied variables: Alterations in Colarete or Band of the Autonomous nervous system and in function of history (biopathographic/biopatografic).

Fixed variables:

Number of patients: 9, being 6 women and 3 men (66% women and 33% men), with data about age (medium age: 40 years, for Men , and 44 years for women), color, biopatografic histories, cronorischio, education, religion, iridological map, and the free history from the Patient n. 4 were averaged.

2) Control group chosen incidentally

Cases/Name	Ages	Diathesis	Cronorischio	Psychiatric Lauda	Biopatografic History	Drawing Lauda
10. A A	39	3	12 A 13,14, 15 A17,30 ^A 32 E 38	n	look at sequence	look at sequence
11. M M G	42	4	6,15,16,17,18, 22,27,29,30, 31,32a34,38,4 5,47,49,52e 58	n	look at sequence	look at sequence
12. S C A	38	4	10,14,16,17,24 ,26,28,30,33,3 5,37,41,45, 47 e 59	n	look at sequence	look at sequence
13 P R M	43	4	2,3,9,16 a 18,30,37,39, 41,45 e 47	n	look at sequence	look at sequence
14. J E C	38	3	15,21 a 23,32,37,38, e 45	n	look at sequence	look at sequence

Cases	Other cerebral areas	Endocrinal Glandula	Thimus/ Spleen/ Lymphatic Organs	Aut. Nervous Sist. Border or Colarete	Cronorischio Diathesis
10. A A	“Senile Arch”, Ego Pression, Equilibrium	Hypophysis Pancreas, Testicles, Thyroid , Suprarenal	n	12,13 Petal, 14, 15 to 17,30 to 32, and 38 - Petal	2,13 Petal, 14, 15 to 17,30 a 32, e 388 Petal Diathesis 3
11. M M G	Vitality/ Ego Pression, Acquired Speak and Equilibrium	Hypophysis Thyroid	n	6 years, Sun Radium Petal - from 15 to18, 22,27,29,30, 31- solution of continuity- 32 a 34, 38,45,47,49,52,58 Sun radium	6 years, Sun radium Petal - from 15 to 18, 22,27,29,30, 31- solution of continuity - 32 to 34, 38,45,47,49,52,58 Sun radium Diathesis p/ 4

12. Silvana	Mente Inata, Sensório Locomotion Pression do Ego, 5 senses, Equilibrium	Hypophysis Ovary, Pancreas, Suprarenal, Mamma	Lymphatic Rosary , Apendicis	10,14,16,17,26,28, 30,33,35,37,45,47, 59 Petal - 24,41 - Psorical Spot	10,14,16,17,26,28, 30,33,35,37,45,47, 59 Petal - 24,41 - Psorical Spot Diathesis 4
13. P R M	Ego Pression, Sexuality Mental, 5 Senses and Mente Inata	Hypophysis Thyroid, Supra-Renal	n	2,3,9,16,17,18,30, 37,41,45,47 - Sun radium ,39 - Closed Lesion	2,3,9,16,17,18,30, 37,41,45,47 - Sun radium ,39 - Closed Lesion Diathesis 4
14. J E C	Mente Inata, "Senile arch"	Pancreas	n	15,21 to 23,32,37,38,45 - Petals.	15,21 to 23,32,37,38,45 - Petails Diathesis 3

Studied variables - Characteristics of the depression, characteristics of the iris: its forms, color and size

Fixed variables: Number of patients: 1 woman and 3 men (33% of women and 66% of men), with data about age (medium age: 40 years for Men, and 44 years for women), color, biopathografic history , cronorischio, education, religion, iridological map, meaning of the different lesions and evolutionary stages of the same ones, and the free history of the Patient n. 4 were averaged.

Methodology

It tried to investigate the patients, through the free history of (Hanneman) , picking " ipsis literis " the data told by the patient, proceeding to the bilateral exam of all the patients' irises and establishing the relationship between this history with Cerebral area of the Iridològical Map, common to all the patients, as well as with the drawings of the human figure draws, and the free draws. It was proceeded by filming the eyes through video image, with specialized equipment Iriscan, video and TV monitor. The patients were chosen incidentally, without any diagnostical reference. A double-blind study was accomplished, composed of three different approaches on the same group sample.

Conclusion

This study established clear relationship between the discoveries of the iridological signs and the symptoms presented by the depressive patients, fully compatible with the clinical history, as well as the human figure drawings, and the Psychiatric Lauda, that demonstrated agreement with the signs and chronological dates observed in the Autonomous Neuro-Sistem Band in the pupilar border (*Colarete*).

Such a work gives indications that it seems to exist indeed, in these cases, all the compromising of the psychoimmunoneuroendocrine axis, opening, besides, a fan of possibilities for the prophylactic act, at the prevention and the cure, associating everything that exists of classic, added to this new perspective.

In this sense, it was analyzed all the patients' different irises, and it was verified that there were topographical signs on the Autonomous Neuro-System Band in 90% of the samples, as common sign. The lauda of the interpretation of the human figure's drawings resulted coincident with events told in the free history besides the suitable chronological dates in the iridological exam.

UNITERMS

Biophatografy as the own name indicates: bio = life, pathos = disease and graphia = to record. Factors that happened, marking the individual's life, making him get sick.

Deflection: Opening movement or expansion of the *colarete* Autonomous Neuro-System Band in the pupilar border (*Colarete*) in certain areas, denoting sympathal phenomena, for instance, in the area of the heart, it generates tachycardia.

Inflection: Closing movement or retraction of the *colarete* in certain areas, denoting phenomena parasympathic, for instance, in the area of the heart, it generates bradycardia.

Cronorischio: Method of evaluation of the iris created by Daniele Lorito, that analyzes the time of the individual's risk that is printed in the *colarete*.

Diathesis, according to Trousseau, it is a congenital or acquired predisposition, however essential and invariably chronic, because of multiple alterations that are produced in the form, however unique in the essence.

Authors

*Psychologist, Postgraduate of the Iridology-Irisdiagnosis Course at FACIS/IBEHE.

**Psychoanalyst, Parapsichologist, Postgraduating in Irisdiagnose at FACIS/IBEHE.

* * *Physiotherapist, Teacher of the Postgraduation Course in Acupuncture at the (FACIS/IBEHE)

* * * * Prof. Doctor Coordenator of the Postgraduation Course of Iridology-Irisdiagnosis of Universidade de Ciência de Saúde de São Paulo - Mastering in Homeopathy (FACIS/IBEHE)

Review da Literatura

- * Aaron T. Beck, A John Rush, Brian F. Shaw, Gary Emery, Terapia Cognitiva da Depressão, Zahar Editores, Rio de Janeiro, 1982
- * ACKERMANN, Albert Dardanelli. Iridologia Moderna Ilustrada. Editora Cabal, Madrid, 1982.
- * Batello, Celso Fernandes, Iridologia e Irisdiagnose, O que os Olhos Podem Revelar, Editora Ground, 1ª Edição, 1999
- * Breton Sue, Depressão - Esclarecendo Suas Dúvidas, Ágora 1996, São Paulo
- * Brunini, C. Aforismos de Hipócrates S. P. Typos, 1998.
- * Dahlke, Rudiger - A Doença como linguagem da Alma, Edit. Cultrix., SP. 1991
- * Dahlke, Rudiger, Dethlefsen Thorwald - a Doença como Caminho, Ed. Cultrix, SP. 1994
- * Deck, J. Principles of Iris Diagnosis Germany, Insitute for Fundamental Research of Iris Diagnosis, 1982.
- * Demarque, D. Semiologia Homeopática Buernos Aires, Ediciones Marecel, 1978.
- * Duprat, H. A Teroria e a Técnica da Homeopatia, R. J. , Olimpica Editora, 1974
- * Johnson, Denny, O Olho Revela, Uma Introdução ao Método Rayid de Interpretação da Íris, Editora Ground, 2ª Edição, 1984.
- * Fadman, James e Frager, Robert - Torias da Personalidade, Edit. Harbra, SP 1979
- * Ferrandiz, V.L. Iridodiagnosis. Ediciones CEDEL, Barcelona, 1981.
- * Gazolla, Flavio. Curso de Iridologia, Cómo Leer El Estado de Salud En El Íris. Editorial de Vecchi, Barcelona, 1994.
- * Henri, EY, P. Bernard e C. Brisset, Manual de Psiquiatria, Ed. Masson do Brasil Ltda. 2ª. Edição, 1985, Brasil.
- * Ivaldi, M. Iridologia - L'occhio specchio della salute, Milano, Italy Editiorium, 1993
- * Jausas, G. Tratado de Iridologia Médica. Madrid, Las Mil e Unas Ediciones, 1982
- * Jensen, Bernard. The Science and Practice of Iridology, California, Bernard Jensen Published, 1985
- * Johnson, D. What the Eyes Reveals; An Introduction in The Ray-Id Method of Iris Interpretation EUA., Rayid Publications, 1984
- * Jurasunas, Serge e Clodoaldo Pacheco. Iridologia, Um Diagnóstico Natural. Editora Copyart, Tubarão, 1995.
- * Jurasunas, S. Iridologia - Um Diagnóstico Natural. S.C. Copiart, 1995

- * Kossak, R.^a 1000 Conceitos em Homeopatia. S. P. , Elcid 1984
- * Leloup, Jean Ives- O Corpo e seus Simbolos Ed. Vozes, SP. 2^a. Ed. 1998
- * Lo Rito, D. II Cronoschio - Nueve Acquisiozione in Iridologia, Italy Editorium, 1993
- * Maffei, W.E, Os Fundamentos da Medicina. 2. Ed. S.P. Artes Médicas, 1978
- * Ramos, Denize Gimenes - A Psique do Corpo, Sumus Editotial, SP.1994
- * ramos, Denize Gimenes - A Psique do Coração, Edit. Cultrix, SP. 1995
- * Sharan, F. Iridology: A complet guide to diagnosing through the iris and to related forms of treatment. S.1.,
- * Spoerri , T. H. Compêndio de Psiquiatria, Editora Artes Médicas.
- * Thorsons Publishing Group, 1989.
- * Valverde, R. Os Olhos dos Deuses S.P. Ground, 1991
- * Vander. Diagnóstico por el Iris y otros Signos de Las enfermedades, Barcelona. Ediciones Adrian Vand Der Cut, 1972
- * Vannier, L. et al. Le diagnostic des maladies per les yeus. 4 ed. Paris, G. Doin, 1957